

SECTION X - TRANSPORTATION REQUIREMENTS (D.O.T. CLASSIFICATION)

Shipping Name: Consumer Commodity Hazard Class: ORM-D

NG-- Negligible NA-- Not Applicable NE-- Not Established UN-- Unavailable ND-- Not Determined

While the information set forth herein is believed to be accurate as of the date hereof, the Company makes no warranty or guarantee, express or implied, and disclaims all liability arising out of the use of this information.

EFFECTIVE DATE: 07/31/02 SUPERCEDES: 06/15/02 ORIGINALLY PREPARED BY: Sue Heiser

Chemical Name	UN ID	HAZARD CLASS	PG	PL	PK
Mineral spirits	1492	3	II	1	15
Flammable Solvent	1993	3	II	1	15
Mineral oil	1492	3	II	1	15
Petroleum	1492	3	II	1	15

SECTION III - PHYSICAL CHARACTERISTICS

Boiling Point: 140-150 °F (60-65 °C) Vapor Pressure (psia): 0.5-1.0
Solubility: Insoluble in water, miscible in alcohol. Vapor Density (air=1): 0.8-1.0
Appearance and Odor: Clear, colorless liquid with hydrocarbon odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point: 140-150 °F (60-65 °C) (closed cup) Product is to be labeled as flammable as described in 29 CFR 1500.3 and 1500.45.
Flammable Limits: 3-8 vol% in air (approximate).
Extinguishing Media: Carbon dioxide, foam, water, dry chemical may be used.
Special Fire Fighting Procedures: Containers should be cooled with water to prevent vapor pressure build up.
Hazardous Combustion Products: As required to protect personnel (smoke, irritating or venting containers).
Unusual Fire and Explosion Hazards: At elevated temperatures (over 540-550°F) containers exposed to direct flame or heat contact should be cooled with water to prevent weakening of container structure.

SECTION V - REACTIVITY DATA

Stability: Stable under normal conditions.
Reactivity (Hazardous to Avoid): No reacting agents.
Carbon Monoxide: Carbon monoxide and additional hazardous chemicals may be formed in small amounts.
Location in Area: Do not store above 540-550 °F. Keep away from heat, direct sunlight, open flames or sparks. Rupturing of containers may cause burning.