

### Section 11. Toxicological Information

Routes of Entry	Not available.
Toxicity to Animals	<b>WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE.</b> Acute oral toxicity (LD50): 1746 mg/kg [Rat]. (2-Butoxyethanol). Acute toxicity of the gas (LC50): 926 ppm 4 hour(s) [Mouse]. (2-Butoxyethanol).
Acute Effects on Humans	<i>Eyes</i> Very hazardous in case of eye contact (irritant). Inflammation of the eye is characterized by redness, watering, and itching. <i>Skin</i> Very hazardous in case of skin contact (irritant). Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. <i>Inhalation</i> Hazardous in case of inhalation. <i>Ingestion</i> Hazardous in case of ingestion.
Chronic Effects on Humans	Over-exposure by inhalation may cause respiratory irritation.
Special Remarks on Toxicity to Animals	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

### Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	Not available.
Special Remarks on the Products of Biodegradation	No additional remark.

### Section 13. Disposal Considerations

Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Waste Stream	Not available.

### Section 14. Transport Information

DOT (U.S.A)  
(Pictograms)



TDG Classification

Not a TDG controlled material.

