

Stability STABLE
Materials to Avoid
ACIDS, BASES AND STRONG OXIDIZERS

Conditions to Avoid
EXCESSIVE HEAT OR
FREEZING CONDITIONS.

Incompatibility

Conditions to Avoid
N/A

Hazardous Polymerization? NO
Hazardous Decomposition Products
THERMAL DECOMPOSITION ON BURNING MAY PRODUCE ACRYLIC GASES.

=====

VII. ENVIRONMENTAL PROTECTION PROCEDURES

Spill Response
FLOOR MAY BE SLIPPERY, USE CARE TO AVOID FALLING. CONTAIN SPILL WITH INERT MATERIAL (SAND), TRANSFER LIQUIDS AND SOLID MATERIAL TO SEPARATE DISPOSAL CONTAINERS. KEEP SPILL FROM GETTING INTO SEWER OR OPEN BODIES OR WATER.

Waste Disposal Method
MATERIAL SHOULD NOT BE FLUSHED INTO SEWER SYSTEM. AFTER MATERIAL HAS BEEN COLLECTED, DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

=====

VIII. SPECIAL PROTECTION INFORMATION

| | |
|---|------------------------------|
| Eye Protection | Skin Protection |
| SAFETY GLASSES | RUBBER GLOVES |
| Respiratory Protection (Specific Type) | Ventilation Recommended |
| NONE NEEDED UNDER NORMAL USAGE | PROVIDE ADEQUATE VENTILATION |
| Other Protection | |
| EYE BATH AND SAFETY SHOWER AVAILABLE | |
| PROTECTIVE CLOTHING SHOULD BE WORN TO GUARD AGAINST SPLASHING | |

=====

IX. SPECIAL PRECAUTIONS

Hygienic Practices in Handling & Storage
STORE IN TIGHTLY CLOSED CONTAINERS IN A COOL DRY AREA AWAY FROM INCOMPATIBLE MATERIALS. KEEP FROM OVERHEATING OR FREEZING.

Precautions for Repair & Maintenance of Contaminated Equipment
WASH WITH WATER UNTIL RINSATE IS CLEAR.

Other Precautions
HMIS HAZARD RATING: HEALTH - 1, FLAMMABILITY - 1, REACTIVITY - 0, PPE - B.
HMIS INDEX: 0 - MINIMAL, 1 - SLIGHT, 2 - MODERATE, 3 - SERIOUS, 4 - SEVERE.

Additional Comments
KEEP AWAY FROM CHILDREN AND UNTRAINED PERSONNEL.
DEEP SPACE FLOOR FINISH PREPARED JUNE 27, 2003 BY M.PRIMEAUX
PRODUCT CODE: 03 DS

=====