

Stability STABLE

Materials to Avoid
ACIDS, BASES AND STRONG OXIDIZERS

Conditions to Avoid
EXCESSIVE HEAT OR
FREEZING CONDITIONS

Incompatibility

Hazardous Polymerization? NO

Conditions to Avoid
NONE

Hazardous Decomposition Products

THERMAL DECOMPOSITION ON BURNING MAY PRODUCE ACRYLIC MONOMERS.

=====

VII. ENVIRONMENTAL PROTECTION PROCEDURES

Spill Response

FLOOR MAY BE SLIPPERY, USE CARE TO AVOID FALLING. CONTAIN SPILL WITH INERT MATERIAL (SAND). TRANSFER LIQUID AND SOLID MATERIALS TO SEPARATE DISPOSAL CONTAINERS. KEEP SPILL FROM GETTING INTO SEWER OR OPEN BODIES OF WATER.

Waste Disposal Method

MATERIAL SHOULD NOT BE FLUSHED INTO SEWER SYSTEM. AFTER MATERIAL HAS BEEN COLLECTED, DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

=====

VIII. SPECIAL PROTECTION INFORMATION

Eye Protection

SAFETY GLASSES

Skin Protection

RUBBER GLOVES

Respiratory Protection (Specific Type)

NONE NEEDED UNDER NORMAL USAGE

Ventilation Recommended

PROVIDE ADEQUATE VENTILATION

Other Protection

EYE BATH AND SAFETY SHOWER AVAILABLE

PROTECTIVE CLOTHING SHOULD BE WORN TO GUARD AGAINST SPLASHING.

=====

IX. SPECIAL PRECAUTIONS

Hygienic Practices in Handling & Storage

STORE IN TIGHTLY CLOSED CONTAINERS IN A COOL DRY AREA AWAY FROM INCOMPATIBLE MATERIALS. KEEP FROM OVERHEATING OR FREEZING.

Precautions for Repair & Maintenance of Contaminated Equipment

WASH WITH WATER UNTIL RINSATE IS CLEAR.

Other Precautions

HMIS HAZARD RATING: HEALTH - 1, FLAMMABILITY - 1, REACTIVITY - 0, PPE - B.

HMIS INDEX: 0 - MINIMAL, 1 - SLIGHT, 2 - MODERATE, 3 - SERIOUS, 4 - SEVERE.

Additional Comments

KEEP AWAY FROM CHILDREN AND UNTRAINED PERSONNEL.

NATIONAL AMERICAN SPRAY BUFF UPDATED: AUGUST 9, 2003 BY M.PRIMEAUX

=====