

***** **MATERIAL SAFETY DATA SHEET** *****
DUST MAGNET

INHALATION: May cause respiratory tract irritation. Exposure in confined spaces with poor ventilation is a major risk. Exposure may cause central nervous system symptoms including excitation, euphoria, headache, dizziness, drowsiness, blurred vision, fatigue, tremors, convulsions, loss of consciousness, and coma. Mild exposure may cause nasal irritation and lung irritation. Personnel with respiratory diseases should avoid exposure to this product.

INGESTION: Moderately toxic. Aspiration into the lungs may cause chemical pneumonitis. Ingestion may cause gastrointestinal disturbances including irritation, nausea, vomiting and diarrhea. Ingestion may cause some of the symptoms stated in the inhalation section above.

CHRONIC:

EYES: Irritation and possibly permanent damage.

SKIN: Product left on skin for any length of time will result in absorption. Absorption can result in poisoning

INHALATION: See above in the acute section.

INGESTION: See above in the acute section.

CARCINOGENICITY: This product contains no known carcinogenic ingredients.

SIGNS AND SYMPTOMS OF OVEREXPOSURE:

EYES: Irritation and burning.

SKIN: Drying, cracking and peeling. Dermatitis resulting from those conditions.

INHALATION: Irritation of the respiratory tract and chemical pneumonia.

INGESTION: See acute section above.

EMERGENCY AND FIRST AID PROCEDURES:

EYES: Flush immediately with large amounts of water for at least 15 minutes. Eye lids should be held away from the eyeballs to ensure thorough rinsing. Get medical attention if irritation persists.

SKIN: Remove contaminated clothing immediately and thoroughly clean and dry before reuse (discard soaked leather goods). Wash area of contact thoroughly with soap and water. A moisturizing ointment may prevent drying of the skin.

INHALATION: Move person into fresh air. If not breathing immediately start cardiopulmonary resuscitation (CPR). If breathing is difficult, administer oxygen. Get medical attention.

INGESTION: Do not induce vomiting. Administer vegetable oil or a slurry composed of activated charcoal to retard absorption. Get immediate medical attention. If spontaneous vomiting occurs, monitor for proper breathing.

REACTIVITY DATA

STABILITY (THERMAL, LIGHT, ETC): Stable.

INCOMPATIBILITIES (MATERIALS TO AVOID): Strong oxidizers, dispersed metals, acids and alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide and carbonyl chloride (phosgene gas).

POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Avoid heating this product, exposure to hot surfaces, flames and sparks.

SPILL, LEAK AND DISPOSAL PROCEDURES

ACTIONS TO TAKE FOR SPILLS OR LEAKS: Keep unnecessary people away. Stay upwind; avoid personal contact; ventilate area to avoid breathing vapors. Spill may create a slipping hazard. Stop leak if possible to do so safely. Use water spray to disperse vapors. Avoid flares, cigarette smoking or flames in the area of the spill.

FOR SMALL SPILLS: Place sand or other absorbent material (clay) then take up. Then flush the area with water.

FOR LARGE SPILLS: If in a confined area, ventilate area of the spill. Do not flush this material with water. Use of high expansion foam maybe used to suppress the vapors. Call CHEM*TEL for guidance on how to remove the remainder.