

\*\*\*\*\* MATERIAL SAFETY DATA SHEET \*\*\*\*\*

**DUST MAGNET**

**DISPOSAL METHODS:** This product, when discarded or disposed of is ignitable and is a hazardous waste under Federal Regulations; however, it could also be hazardous if, during use, it becomes toxic, corrosive, or reactive according to Federal Definitions (40 CFR 261). Additionally, it could be hazardous according to State Regulations. This product could also become a hazardous waste if it is mixed with or comes in contact with a hazardous waste. If such contact or mixing may have occurred, check 40 CFR 261 to determine whether it is a hazardous waste. If it is a hazardous waste, regulations for transportation, treatment, storage and disposal found in 40 CFR 262, 263 and 264 apply.

**SPECIAL PRECAUTIONS**

**HANDLING AND STORAGE PRECAUTIONS:** Store in tightly closed containers in cool, dry, isolated, well ventilated area away from heat, sources of ignition and incompatibles. Use non-sparking tools. Ground lines, containers and other equipment used during product transfer to reduce the possibility of a static induced spark. Do not smoke around this product during storage or use. Do not transfer to containers which previously contained gasoline or other low flash material. Empty containers may contain toxic, flammable/combustible or explosive residue or vapors. Do not cut, grind, drill, weld or reuse empty containers.

**RESPIRATORY PROTECTION:** Use approved respirator, mists and fumes can be a respiratory hazard.

**VENTILATION:**

**LOCAL EXHAUST:** Use of any hydrocarbon fuel in spaces without adequate ventilation may result in hazardous levels of combustible vapors being formed and inadequate oxygen for breathing. Use of this product in non-flue connected heating appliances can result in personal injury. Purchasers and users should be informed of this potential hazard.

**SPECIAL VENTILATION:** Use adequate ventilation to keep vapor concentrations below applicable exposure limits.

**MECHANICAL (GENERAL) VENTILATION:** Explosion proof motors and fans may be required to provide sufficient ventilation. Mixtures of vapor and air highly explosive.

**PROTECTIVE GLOVES:** Wear impervious gloves, aprons, boots and facial protection to prevent skin contact.

**EYE PROTECTION:** Wear safety glasses or chemical goggles to prevent eye contact. Have eye baths readily available where eye contact can occur. Do not wear contact lens when working with this substance.

**OTHER PROTECTIVE EQUIPMENT:** Avoid prolonged or repeated contact.

**WORK AND HYGENIC PRACTICES:** Keep out of the reach of children.

**OTHER PRECAUTIONS:** Containers, even those that have been emptied, will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full. Do not take internally.

**FOR ADDITIONAL INFORMATION**

**CONTACT:** Technical Director, Sunbelt Laboratories, during business hours, central time; (281) 261-4747.