





Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

 WHMIS (Pictograms)	E WHMIS (Classification)	HCS CLASS: Corrosive liquid. HCS
---	-----------------------------	-------------------------------------

Section 1. Chemical Product and Company Identification

Product Name/ Trade name	Factory Formula SC	Code	171
Synonym	Super Concentrate Cleaner/Degreaser	CAS #	Not applicable.
Chemical Family	Not available.	Validation Date	3/22/2004
Chemical Formula	Not applicable.	Print Date	3/27/2004
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (419) 241-2156	In Case of Emergency	Chemtrec (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		
		Protective Clothing 	

Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
1) Sodium Metasilicate	6834-92-0	5-10	Not available.	Not available.
2) Anionic Surfactant	25155-30-0	10-15	Not available.	Not available.
3) Nonionic Surfactant	66455-15-0	0-5	Not available.	Not available.
4) Nonionic Surfactant	9016-45-9	0-5	Not available.	Not available.
5) Sodium Xylene Sulfonate	1300-72-7	0-5	Not available.	ORAL (LD50): Acute: 650 mg/kg [Rat]. 5939 mg/kg [Mouse].

Section 3. Hazards Identification

Potential Acute Health Effects	Extremely hazardous in case of eye contact (irritant). Very hazardous in case of skin contact (irritant). Hazardous in case of skin contact (corrosive), of inhalation. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.
Potential Chronic Health Effects	Over-exposure by inhalation may cause respiratory irritation. Prolonged exposure may result in skin burns and ulcerations.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.