

weighed against toxicity when considering emptying the stomach. Exposure may increase "myocardial irritability". Do not administer sympathomimetic drugs unless absolutely necessary. No specific antidote. Supportive care. Treatment based on judgment of the physician in response to reactions of the patient.

## 5. FIRE FIGHTING MEASURES

### FLAMMABLE PROPERTIES

FLASH POINT: None  
METHOD USED: TCC  
AUTOIGNITION TEMPERATURE: 788F, 420C

### FLAMMABILITY LIMITS

LFL: 8.0% @ 100C; 8.0% @ 25C  
UFL: 44.8% @ 100C; 10.5% @ 25C

HAZARDOUS COMBUSTION PRODUCTS: During a fire, smoke may contain the original material in addition to unidentified toxic and/or irritating compounds. Hazardous combustion products may include and are not limited to hydrogen chloride. Hazardous combustion products may include trace amounts of phosgene, chlorine, and carbon monoxide.

OTHER FLAMMABILITY INFORMATION: Container may vent and/or rupture due to fire. Although this material does not have a flash point, it can burn at room temperature. Vapors are heavier than air and may travel a long distance and accumulate in low lying areas.

EXTINGUISHING MEDIA: Water fog or fine spray. Carbon dioxide, dry chemical, foam. Water fog, applied gently may be used as a blanket for fire extinguishment.

FIRE FIGHTING INSTRUCTIONS: Keep people away. Isolate fire area and deny unnecessary entry. Contain fire water run-off if possible. Fire water run-off, if not contained may cause environmental damage. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Water fog applied gently may be used as a blanket for fire extinguishment. Stay upwind. Keep out of low areas where gases (fumes) can accumulate.

PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, pants, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

## 6. ACCIDENTAL RELEASE MEASURES (See Section 15 for Regulatory Information)

PROTECT PEOPLE: Clear all personnel from area. Do not breathe vapors. Ventilate area of leak or spill. Wear protective equipment including positive pressure self contained or air supplied breathing apparatus. Follow confined space entry

— DISTRIBUTED BY —  
NATIONAL AMERICAN SALES  
504-447-1434  
800-821-3732 (LA)